Nos. 23-35440, 23-35450

IN THE UNITED STATES COURT OF APPEALS FOR THE NINTH CIRCUIT

UNITED STATES OF AMERICA,

Plaintiff-Appellee,

v.

THE STATE OF IDAHO,

Defendant-Appellant,

v.

MIKE MOYLE, SPEAKER OF THE IDAHO HOUSE OF REPRESENTATIVES, ET AL.,

Movants-Appellants.

janice.macavoy@friedfrank.com

On Appeal from the United States District Court for the District of Idaho No. 1:22-cv-0329-BLW The Honorable B. Lynn Winmill

BRIEF OF AMICUS CURIAE PHYSICIANS FOR REPRODUCTIVE HEALTH IN SUPPORT OF PLAINTIFF-APPELLEE SUPPORTING AFFIRMANCE

JANICE MAC AVOY
Counsel of Record
Laura Israel Sinrod*
ANNE S. AUFHAUSER
Antonio Joseph DelGrande*
RACHEL L. DEMMA*
FRIED, FRANK, HARRIS,
SHRIVER & JACOBSON LLP
One New York Plaza
New York, NY 10004
Telephone: 212-859-8000

* Not admitted in the Ninth Circuit Counsel for Amicus Curiae

CORPORATE DISCLOSURE STATEMENT

Pursuant to Rules 26.1 and 29(a)(4)(A) of the Federal Rules of Appellate Procedure, *amicus curiae* Physicians for Reproductive Health, by its undersigned counsel, states that Physicians for Reproductive Health is a non-profit, tax-exempt organization that has issued no stock and has no parent corporation, and that no publicly held company has 10% or greater ownership in it.

Dated: October 22, 2024

/s/ Janice Mac Avoy

Janice Mac Avoy

FRIED, FRANK, HARRIS, SHRIVER & JACOBSON LLP

One New York Plaza New York, New York 10004 (212) 859-8000 janice.macavoy@friedfrank.com

TABLE OF CONTENTS

		Page
CORPOR	ATE DISCLOSURE STATEMENT	i
TABLE O	F AUTHORITIES	iii
STATEM	ENT OF INTEREST	1
SUMMAF	RY OF ARGUMENT	2
ARGUME	ENT	9
I.	"She's Not Sick Enough Yet"	10
II.	"It Shouldn't Have To Be This Way"	15
III.	"We Were Just A Little Bit Too Late"	23
CONCLU	SION	28

TABLE OF AUTHORITIES

. P	'age(s)
Cases	
California v. United States, No. C 05-00328 JSW, 2008 WL 744840 (N.D. Cal. Mar. 18, 2008)	5
Chalk v. U.S. District Court (Orange County Supt. of Schs.), 840 F.2d 701 (9th Cir. 1988)	8
EMW Women's Surgical Ctr., P.S.C. v. Glisson, No. 3:17-CV-00189-GNS, 2018 WL 6444391 (W.D. Ky. Sept. 28, 2018)	5
June Med. Servs. L.L.C. v. Russo, 140 S. Ct. 2103 (2020)	8
Moyle v. United States, 144 S. Ct. 2015 (2024)2, 4,	23, 28
Peters v. Aetna Inc., 2 F.4th 199 (4th Cir. 2021)	8
Stenberg v. Carhart, 530 U.S. 914 (2000)	8
United States v. Idaho, 623 F. Supp. 3d 1096 (D. Idaho 2022)	7
Statutes	
42 U.S.C. § 1395dd	2, 4, 5
Ark. Code Ann. § 20-16-1304	15
Ga. Code Ann. § 16-12-141(b)	15
Idaho Code § 18-622	2, 3
Idaho Code § 18-8804	15
Iowa Code 8 146C 2	15

Ky. Rev. Stat. Ann. § 311.7706	15
La. Rev. Stat. Ann. § 40:1061.1.5	15
Miss. Code Ann. § 41-41-34.1	15
Okla. Stat. tit. 63, § 1-731.3	15
S.C. Code Ann. § 44-41-630	15
Tenn. Code Ann. § 39-15-216(c)(1)	15
Tex. Health & Safety Code Ann. § 171.204	15
Other Authorities	
Alicia J. VandeVusse et al., "Technically an abortion": Understanding perceptions and definitions of abortion in the United States, 335 Soc. Science & Med., no. 116216 (2023)	7
Am. Coll. of Obstetricians & Gynecologists, Practice Bulletin No. 217, <i>Prelabor Rupture of Membranes</i> , 135 Obstetrics & Gynecology e80 (Mar. 2020)	15
Am. Hosp. Ass'n, Fast Facts on U.S. Hospitals, 2024 (Jan. 2024)	4
Amy N. Addante et al., Differences in Financial and Social Burdens Experienced by Patients Traveling for Abortion Care, 31 Women's Health Issues 426 (2021)	22
Anna Kheyfets et al., The Impact of Hostile Abortion Legislation on the United States Maternal Mortality Crisis: A Call for Increased Abortion Education, Frontiers in Pub. Health 4 (Dec. 2023)	8
Ctrs. Medicare & Medicaid Servs., <i>Hospital General Information</i> (July 8, 2024)	4
Idaho Dep't Health & Welfare, Hospital Provider List (Oct. 1, 2024)	4
J.M. Crane et al., Neonatal outcomes with placenta previa, 93 Obstetrics & Gynecology 541 (1999)	25

James P. Neilson, <i>Interventions for suspected placenta praevia</i> (Review), 2 Cochrane Database of Systematic Revs., No. CD001998 (2003)	24
Joy L. Hawkins, <i>Obstetric Hemorrhage</i> , 38 Anesthesiology Clinics 839 (2020)	23
Kathleen Stergiopoulos & Fabio V. Lima, <i>Peripartum</i> cardiomyopathy-diagnosis, management, and long term implications, 29 Trends in Cardiovascular Med. 164 (2019)	11
Katrina Kimport & Maryani Palupy Rasidjan, Exploring the emotional costs of abortion travel in the United States due to legal restriction, 120 Contraception, no. 109956 (Apr. 2023)	22
Kimberly Chernoby, et al., <i>Pregnancy Complications After Dobbs:</i> The Role of EMTALA, 25 W.J. Emergency Med. 79 (Jan. 2024)	5, 7
L.G. Johnson, B.A. Mueller, & J.R. Daling, <i>The Relationship of Placenta Previa and History of Induced Abortion</i> , 81 Int'l J. Gynecolgy & Obstetrics 191 (2003)	23
Rachel K. Jones et al., At What Cost? Payment for Abortion Care by U.S. Women, 23 Women's Health Issues e173 (2013)	22
The Impact of the Supreme Court's Dobbs Decision on Abortion Rights and Access Across the United States: Hearing Before the House Oversigh and Reform Comm., 117th Cong. 1–2 (2022) (statement of Physicians for Reproductive Health)	27, 28
Terri-Ann Thompson et al., Ibis Reprod. Health & Ctr. for Reprod. Rts., Evaluating Priorities: Measuring Women's and Children's Health and Well-being Against Abortion Restrictions in the States (2017)	28
Transcript of Oral Argument, <i>Moyle v. United States</i> , 144 S. Ct. 2015 (2024) (No. 23-726)	6, 13
Uri Elkayam, Risk of Subsequent Pregnancy in Women with a History of Peripartum Cardiomyopathy, 64 J. Am. Coll. Cardiology 1629 (2014)	12

23
25

STATEMENT OF INTEREST

Amicus curiae Physicians for Reproductive Health ("PRH") respectfully submits this brief in support of Plaintiff-Appellee.¹

PRH is a doctor-led nonprofit seeking to ensure meaningful access to comprehensive reproductive health care services, including contraception and abortion. Since its founding in 1992, PRH has organized and amplified the voices of medical providers to advance reproductive health, rights, and justice. PRH's network includes over 500 physicians from all 50 states, the District of Columbia, and Puerto Rico. PRH has unique insight into the challenges providers and patients face when confronted by actions designed or applied to prevent pregnant people from accessing necessary medical care, which harms their ability to live freely with dignity, safety, and security.

In public discussions of reproductive health care, PRH seeks to highlight physicians' distinctive voices, expertise, and experiences by gathering and sharing stories of physicians who provide reproductive health services. State-level restrictions on the provision of abortion care can conflict with physicians' responsibilities under the federal Emergency Medical Treatment and Labor Act ("EMTALA," largely codified in Section 1867 of the Social Security Act, 42 U.S.C.

All parties consented to the filing of this brief. No counsel for any party authored any part of this brief, and no party or person other than PRH funded its preparation or submission.

§ 1395dd), directly impacting PRH's network of physicians, many of whom work in emergency departments or treat patients referred by emergency departments. PRH fellows attest that laws, like Idaho Code § 18-622, which criminalize abortion care except in narrow, life-threatening² circumstances have deprived patients of necessary stabilizing treatment and tied the hands of their health care providers.

SUMMARY OF ARGUMENT

The clear conflict³ between EMTALA, a decades-old federal law requiring most hospitals to provide stabilizing treatment in emergency circumstances, and laws such as Idaho Code § 18-622, commonly referred to as the Idaho "Total Abortion Ban," leaves medical providers unsure of when they can provide pregnant patients with urgently needed abortion care. PRH physicians, many of whom specialize in obstetrics and gynecology ("OB/GYN"), complex family planning, maternal fetal medicine, pediatrics, and emergency medicine, have witnessed firsthand the effects of abortion bans like the Idaho Total Abortion Ban, and share

Unless otherwise noted, term "life-threatening" references any situation where medical care is "necessary to prevent the death of the pregnant woman." Idaho Code § 18-622(2)(a)(i).

Moyle v. United States, 144 S. Ct. 2015, 2017 (2024) (Kagan, J., concurring) ("By their terms, the two laws differ."); id. at 2036 (Alito, J., dissenting) ("Three of the six Justices in the majority also agree that there is a conflict – and judging from their fiery rhetoric, a big one. And they are correct to this extent: there is a real conflict.").

their stories illustrating the dangers of these bans and the confusion they cause in emergency departments and hospital settings.⁴

The Idaho Total Abortion Ban provides "[e]very person who performs or attempts to perform an abortion . . . commits the crime of criminal abortion." Idaho Code § 18-622(1). The criminal consequences for violations of Idaho's Total Abortion Ban by health care providers are severe: a felony punishable by two to five years of imprisonment and the suspension of the provider's medical license. *Id*.

The Idaho Total Abortion Ban provides only two narrow exceptions to its strict abortion ban. First, abortion is permitted when "the abortion was necessary to prevent the death of the pregnant woman" (*i.e.*, in "life-threatening" situations) and the physician provided the abortion in a manner that gave "the best opportunity for the unborn child to survive, unless, in his good faith medical judgment, termination of the pregnancy in that manner would have posed a greater risk of the death of the pregnant woman." Idaho Code § 18-622(2)(a)(i)—(ii). Second, physicians may provide abortion care in the first trimester for a pregnancy

Physician accounts were compiled from interviews conducted by the undersigned counsel, and each physician personally reviewed and approved their statements. The medical opinions expressed are their own and not necessarily shared by the institutions with which they are affiliated, many of which are in states with restrictive abortion bans. To promote candid testimony and to protect the legal and privacy interests of these providers, the identities of the providers interviewed are anonymized, except for Dr. Jamila Perritt, the President and CEO of PRH.

resulting from rape or incest. *Id.* § 18-622(2)(b). Notably, "the law makes no exception for abortions necessary to prevent grave harms to [a pregnant patient's] health." *Moyle*, 144 S. Ct. at 2016 (Kagan, J., concurring).

Unlike Idaho's Total Abortion Ban, which prohibits abortion care except in life-threatening situations, EMTALA requires hospitals to provide "necessary stabilizing treatment" to individuals with "emergency medical conditions." 42 U.S.C. § 1395dd(b) (emphasis added). EMTALA defines "stabiliz[ing]" treatment as the provision of care "necessary to assure, within reasonable medical probability, that no material deterioration of the condition is likely[.]" *Id.* § 1395dd(e)(3)(A) (alterations added). This treatment is required when:

[T]he absence of immediate medical attention could reasonably be expected to result in: — (i) placing the health of the individual (or, with respect to a pregnant woman, the health of the woman or her unborn child) in serious jeopardy, (ii) serious impairment to bodily

Hospitals with Medicare-funded emergency departments are required to comply with EMTALA. Consequently, nearly all emergency-room physicians are bound by EMTALA's mandate to provide stabilizing care in emergency situations. *Compare* Ctrs. for Medicare & Medicaid Servs., *Hospital General Information*, https://data.cms.gov/provider-data/dataset/xubh-q36u (last updated July 8, 2024) (5,398 hospitals registered with Medicare), *with* Am. Hosp. Ass'n, *Fast Facts on U.S. Hospitals*, *2024* (Jan. 2024), https://www.aha.org/statistics/fast-facts-us-hospitals (6,120 hospitals in the United States). 51 of the 53 hospitals in Idaho are Medicare/Medicaid-certified hospitals. Idaho Dep't Health & Welfare, *Hospital Provider List* (Oct. 1, 2024), https://publicdocuments.dhw.idaho.gov/WebLink/DocView.aspx?id=25469&dbid=0&repo=PUBLIC-DOCUMENTS &cr=1.

functions, or (iii) serious dysfunction of any bodily organ or part

Id. § 1395dd(e)(1). Physicians understand EMTALA's language to be patient-protective, explicitly incorporating physician discretion, bounded and informed by prevailing clinical guidelines on standards of care, and allowing physicians to act based on "*reasonable medical probability*," 42 U.S.C. § 1395dd(e)(3)(A) (emphasis added), which is especially important in a fast-paced emergency setting.

Both courts and the medical community repeatedly have recognized that situations arise where "stabilizing treatment" under EMTALA requires termination of a pregnancy. *See, e.g., California v. United States*, No. C 05-00328 JSW, 2008 WL 744840, at *4 (N.D. Cal. Mar. 18, 2008). Under EMTALA, hospitals "*must* provide medical care to stabilize *all* emergency patients," including patients requiring abortion care. *EMW Women's Surgical Ctr., P.S.C. v. Glisson*, No. 17-CV-00189-GNS, 2018 WL 6444391, at *14 & n.17 (W.D. Ky. Sept. 28, 2018), *aff'd in part, rev'd in part, vacated in part on other grounds sub nom. EMW Women's Surgical Ctr., P.S.C. v. Friedlander*, 978 F.3d 418 (6th Cir. 2020).6

See also Kimberly Chernoby, et al., Pregnancy Complications After Dobbs: The Role of EMTALA, 25 W.J. Emergency Med. 79, 79 (Jan. 2024), https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10777191/pdf/wjem-25-79.pdf ("[E]ven in the face of state abortion restrictions, physicians need to be cognizant of their duties under EMTALA to render stabilizing medical care, which in some circumstances includes emergency abortion care.").

Yet emergency circumstances under EMTALA do not always meet the benchmark set by the Idaho Total Abortion Ban and similar laws, which allow abortion care *only* if, in that moment, it is "necessary to prevent the death" of the pregnant patient. Indeed, the State of Idaho admits that if a pregnant patient's condition could, absent an abortion, result in the loss of an organ or serious medical complications, but not the loss of life, "abortions in that case aren't allowed." Tr. of Oral Arg. at 33-34, Moyle v. United States, 144 S. Ct. 2015 (2024) (No. 23-726), https://www.supremecourt.gov/oral arguments/argument transcripts/2023/23-726 6jf7.pdf (hereinafter "Oral Arg. Tr."). As demonstrated by the accounts of PRH physicians, such circumstances are not merely hypothetical. Even when medical conditions and complications are not considered imminently life-threatening, they can have serious consequences to patients' wellbeing and can become lifethreatening if stabilizing intervention is withheld.

Physicians have always understood EMTALA to require the provision of abortion care when it is necessary stabilizing treatment. The proliferation of state laws criminalizing abortion, however, has created rampant confusion and undue stress for practicing physicians both in Idaho and in states with similar statutes about the physician's ability to provide this essential stabilizing care when it is not "life-saving." Rather than simply exercising their medical judgment in emergency situations, physicians are now forced to make a series of challenging—and

potentially criminal or career-ending—decisions about how to treat pregnant patients within the confines of the law and their competing moral, professional, and federal medical obligations.⁷

According to Dr. Jamila Perritt, the President and CEO of PRH, the question is "no longer 'how should we treat the patient's medical condition?' but rather 'is this person close enough to death to even qualify for treatment?'" Dr. Perritt explains, "[w]e are hearing from physicians over and over that before they act they are forced to ask the question 'Is this person sick enough?'" Such a position is unworkable in practice.

In the absence of clarity regarding EMTALA's preemptive effect, physicians may let their patients' conditions worsen before providing care. Allowing a situation to become life-threatening can have dire consequences for a patient's health,

These decisions are particularly burdensome for "physicians [who] provide care that is technically an abortion [under these restrictive state bans but] . . . do not characterize the care as abortion care." Chernoby, *supra* note 6, at 80–81; Alicia J. VandeVusse et al., "*Technically an abortion*": *Understanding perceptions and definitions of abortion in the United States*, 335 Soc. Science & Med., no. 116216(2023), https://www.sciencedirect.com/science/article/pii/S0277953623 005737?via%3Dihub. The Idaho law, like other restrictive abortion bans, "controls the inquiry on [what is considered an abortion]—not the medical community. Indeed, [the Legislature's] argument crystallizes the conflict between Idaho law and EMTALA: Idaho law criminalizes as an 'abortion' what physicians in emergency medicine have long understood as both life- and health-preserving care." *United States v. Idaho*, 623 F. Supp. 3d 1096, 1110 (D. Idaho 2022) (alterations added).

including the development of chronic medical conditions, significant disability, or death. Moreover, it threatens to worsen maternal morbidity and mortality rates, particularly for Black and Indigenous people, people of color, and people living with low incomes, exacerbating existing inequities in the United States.⁸

The true impact of this confusing legal landscape is best understood by those who navigate it daily, including the physicians charged with treating pregnant patients in emergency situations. In these situations, where legislative and judicial decisions directly impact the practice of medicine, courts routinely consider the opinions of medical professionals. The stories and experiences of physicians with specialties in emergency medicine, OB/GYN, maternal fetal medicine, and complex

See Anna Kheyfets et al., The Impact of Hostile Abortion Legislation on the United States Maternal Mortality Crisis: A Call for Increased Abortion Education, Frontiers in Pub. Health 4 (Dec. 2023), https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10728320/pdf/fpubh-11-1291668.pdf.

See, e.g., Stenberg v. Carhart, 530 U.S. 914, 926–36, 945–46 (2000) (relying on testimony and briefing from physicians and medical associations in affirming determination that Nebraska abortion restriction was unconstitutional), abrogated by Dobbs v. Jackson Women's Health Org., 597 U.S. 215, 287 & n.64 (2022); Peters v. Aetna Inc., 2 F.4th 199, 234 (4th Cir. 2021) (relying on briefing from medical association), cert. denied sub nom. OptumHealth Care Sols., LLC v. Peters, 142 S. Ct. 1227 (2022) (Mem.); June Med. Servs. L.L.C. v. Russo, 140 S. Ct. 2103, 2122 (2020) ("We wrote that these inferences [regarding clinic closures] were bolstered by the submissions of amici in the medical profession"), abrogated by Dobbs, 597 U.S. at 28; Chalk v. U.S. Dist. Ct. (Orange County Supt. of Schs.), 840 F.2d 701, 706–07 (9th Cir. 1988) (relying on medical association briefing).

family planning, as well as the experiences of those in other specialties like family medicine and pediatrics, provide critical context for understanding the detrimental impacts of state laws excluding pregnant patients from the full scope of EMTALA's protections.

ARGUMENT

Every day, physicians practicing in states with restrictive abortion bans like Idaho's struggle to balance their medical, legal, and moral obligations. Physicians emphasize that providing abortion care only when it is considered "life-saving" can be inconsistent with EMTALA's requirement to provide "stabilizing treatment," with physician training, and with the reality of practicing medicine. As the chair of the OB/GYN department of one hospital said: "in medicine, we don't study, 'well, is this life-threatening?" Another physician with a background in OB/GYN and complex family planning explains:

Things can turn on a dime . . . there is no algorithm to make the decision for how close someone is to death or whether or not you need to intervene in order to prevent that death. It's a spectrum. It's a continuum. So if I intervene at one point for Patient A, that may be early enough, but for Patient B, it may be too late.

Similarly, other physicians practicing in states with restrictive abortion bans explain:

"You don't know it's life threatening until [the patient is] about to die and at that point it is too late."

"No one understands what life-threatening means or what the timeframe is around intervention It's bad medical practice to wait until [a situation] worsens to intervene. And there is no other area of medicine in which we wait for our patient to deteriorate [before intervening]."

"What does the timeline need to be? Does the emergency need to be that the person is going to die? What's the risk? Eighty percent in the next hour? Sixty percent in the next four hours? There's so much uncertainty about level of risk and immediacy."

"Many of these medical emergency cases are not lifethreatening in the immediate sense, but are life-threatening and have threats in hours, days, week, months."

The experiences of these physicians illustrate that drawing a hard line between "life-saving" care and "stabilizing" care leaves physicians and patients in impossible positions that have heartbreaking, and often tragic, outcomes. Forcing physicians and patients to wait for patients' conditions to deteriorate flies in the face of physicians' medical training, instincts, and experience.

I. "She's Not Sick Enough Yet"

In states where restrictive abortion bans conflict with EMTALA, the determination of whether a condition is "life-threatening" can put hospital compliance measures in direct conflict with the patient-physician relationship, often resulting in the denial of stabilizing care. A case seen by Dr. A, a board-certified OB/GYN and complex family planning specialist, and chair of her hospital system's OB/GYN department, illustrates these challenges.

After her state enacted a restrictive abortion ban, Dr. A's hospital system created an ethics committee to assist physicians in assessing the legality of providing

abortion care. The ethics committee consists of physicians, legal counsel, and hospital administrators. When a physician, in consultation with their patient, deems abortion care to be the appropriate and necessary treatment, the physician must first petition the ethics committee for permission, and the committee then determines if the physician may provide the abortion. This ethical and legal review of medical decisions can delay treatment if there is debate over whether the condition is life-threatening.

At Dr. A's hospital, physicians generally appreciate the ethics committee's guidance on interpreting complicated, conflicting, and constantly changing abortion laws. But, in Dr. A's experience, the committee does not always get it right. The committee often takes a conservative approach to allowing abortion care, and physicians are, at times, prevented from providing care that is, in their medical expertise, necessary to stabilize a patient. Critically, this can place patients at risk of suffering devastating consequences.

Dr. A describes a situation in which a patient suffered from peripartum cardiomyopathy, or PPCM. PPCM is a form of heart failure often caused by a previous pregnancy.¹⁰ PPCM is "one of the leading causes of pregnancy-related

Kathleen Stergiopoulos & Fabio V. Lima, *Peripartum cardiomyopathy-diagnosis, management, and long term implications*, 29 Trends in Cardiovascular Med. 164, 164 (2019), https://pubmed.ncbi.nlm.nih.gov/30111492/.

morbidity and mortality worldwide," and once a patient has experienced PPCM in connection with one pregnancy, the risk of heart failure continues for subsequent pregnancies. Almost half (46%) of PPCM patients experience major adverse cardiac events during hospitalization for labor and delivery, and the relapse of PPCM in a subsequent pregnancy is associated with deterioration of heart function, congestive heart failure, and arrhythmias. Patients with PPCM require daily heart medications, but these medications cannot be taken while pregnant. Therefore, in Dr. A's experience, physicians "across the board advise against pregnancy if you have peripartum cardiomyopathy like this."

Dr. A's soon-to-be patient arrived at the hospital in her second trimester experiencing serious distress. She had difficulty breathing and required a wheelchair. The patient had been diagnosed with PPCM during an earlier pregnancy, but was unable to take her daily heart medication while pregnant. It quickly became apparent that her symptoms were caused, at least in part, by decreased lung function from PPCM. Pregnancy increases the level of fluid in a pregnant person's body, and this patient's echo-cardiogram revealed that her heart was extremely weak and unable to effectively move the increased volume of blood

¹¹ *Id.* at 164–65, 170.

Id. at 167–68; Uri Elkayam, Risk of Subsequent Pregnancy in Women with a History of Peripartum Cardiomyopathy, 64 J. Am. Coll. Cardiology 1629, 1632, 1635 (2014), https://www.jacc.org/doi/10.1016/j.jacc.2014.07.961.

throughout her body. The excess fluid therefore seeped into the patient's lungs, preventing her from breathing properly.

Dr. A determined that unless the pregnancy was terminated, the patient's heart would continue to deteriorate until she went into a fatal arrhythmia and suffered a cardiac arrest. Dr. A explains that in such a severe case of heart failure, the patient "needed to not be pregnant to live. This [would have been] an abortion to save her life." The patient was scared, and desperately wanted medical intervention to terminate her pregnancy, particularly because she had children at home who needed her. To provide an abortion, however, Dr. A needed permission from the hospital's ethics committee. Dr. A urged the committee to permit the abortion immediately, explaining that the patient's condition was life-threatening.

Nonetheless, the hospital ethics committee denied Dr. A's request. Dr. A's understanding of the committee's decision was that the patient was "not sick enough yet." Dr. A's takeaway was that "when [the patient] is sicker, or if she gets close enough to death, then we can act." Dr. A disagreed with the decision and believes it was contrary to standard medical advice given the patient's condition and the likelihood she would imminently suffer from a catastrophic cardiac event. Yet, as predicted by Plaintiff-Appellee, Dr. A's "hands [we]re tied" because Dr. A was bound by the committee's decision to deny care, even though the patient was in desperate need of an abortion. Oral Arg. Tr. at 118-19. Dr. A also knew that if, as

the ethics committee required, Dr. A waited until the patient's condition deteriorated further or until she entered cardiac arrest, it would likely be too late to save her. Unable to provide the patient with the necessary stabilizing treatment, Dr. A recommended clinics in a neighboring state that could legally provide the necessary abortion care. But without access to a car, unable to walk, and with children at home, the patient said she could not make the trip. ¹³ Dr. A was left with no other option but to send the patient home without treatment, instructing her to return to the hospital if her condition worsened.

Dr. A never saw the patient again and does not know what happened to her, but has frequently wondered and worried about the patient. In Dr. A's medical opinion, the most likely scenario is that the patient went into cardiac arrest and neither she nor the fetus survived.

In Dr. A's experience, patients with severe PPCM are often physically unable to leave the state to obtain abortion care. *See also infra* note 19. They are therefore likely to stay pregnant until they experience cardiac arrest. In the unlikely event that a patient does not have a cardiac arrest prior to delivery, the patient's decreased heart function would render her unable to deliver vaginally: she would not have enough oxygen to push and would likely require a caesarian section, but "[h]aving a surgery and trying to recover from a surgery like that with heart failure is catastrophic." Even if the patient makes it to delivery, "[t]here is a high likelihood of death for her."

II. "It Shouldn't Have To Be This Way"

Several states have enacted statutes that, like the Idaho Total Abortion Ban, prohibit abortion care if there is fetal cardiac activity, except in the case of life-threatening emergencies. Patients in these states are forced to wait until their condition worsens or until fetal cardiac activity stops before they are eligible for abortion care. Physicians are forced to draw the line between providing necessary stabilizing care and waiting to provide such care until the patient's condition becomes life-threatening enough or fetal cardiac activity ceases.

This problem commonly arises when a pregnant patient presents with preterm premature rupture of the membrane ("PPROM"). In PPROM, the gestational membrane ruptures before 37 weeks of pregnancy (*i.e.*, the patient's water breaks too early). ¹⁵ PPROM places the pregnant person at serious risk of infection, and the

Arkansas, Georgia, Idaho, Iowa, Kentucky, Louisiana, Mississippi, Oklahoma, South Carolina, Tennessee, and Texas have enacted statutes barring abortion care (with limited exceptions) where fetal cardiac activity is present. *See* Ark. Code Ann. § 20-16-1304; Ga. Code Ann. § 16-12-141(b); Idaho Code § 18-8804; Iowa Code § 146C.2; Ky. Rev. Stat. Ann. § 311.7706; La. Rev. Stat. Ann. § 40:1061.1.5; Miss. Code Ann. § 41-41-34.1; Okla. Stat. tit. 63, § 1-731.3; S.C. Code Ann. § 44-41-630; Tenn. Code Ann. § 39-15-216(c)(1); Tex. Health & Safety Code Ann. § 171.204.

Am. Coll. of Obstetricians & Gynecologists, Practice Bulletin No. 217, *Prelabor Rupture of Membranes*, 135 Obstetrics & Gynecology e80, e80 (Mar. 2020), https://www.acog.org/clinical/clinical-guidance/practice-bulletin/articles/2020/03/prelabor-rupture-of-membranes.

risk increases for PPROM occurring at earlier, pre-viable gestational ages.¹⁶ Patients experiencing PPROM prior to 24 weeks of gestation are at a higher risk of sepsis, transfusion, hemorrhage, infection, or acute renal injury.¹⁷ Multiple physicians interviewed emphasize that in cases where the membrane ruptures prior to 24 weeks of pregnancy, the fetus is no longer viable, even if fetal cardiac activity persists.

Dr. A reports that in many cases of PPROM, a ruptured membrane can be life-threatening. Intervention is critical, and physicians interviewed about PPROM treatment agreed that treatment options for a pre-viable PPROM patient must include termination. Indeed, best practices require that physicians offer *immediate* termination of the pregnancy as a treatment option for patients suffering from PPROM prior to 24 weeks gestational age. ¹⁸ This is particularly true because the patient has a heightened infection risk at an early gestational age. Dr. C, a board-certified OB/GYN, complex family planning specialist, and clinical assistant professor at a major academic institution, cautions that for patients with PPROM, "[i]f we do nothing, there is a major risk of infection and sepsis." Dr. A further explains just how perilous waiting to provide abortion treatment can be:

Even before a fever presents, we know [the patient suffering from PPROM] need[s] to deliver immediately.

¹⁶ *Id.* at e81.

¹⁷ *Id*.

¹⁸ *Id*.

The longer we wait, the sicker the patient will become. The water has broken because of an infection. If they have a fever, then we are already going down the path of a serious, systemic infection. And the longer you wait to treat the infection, the closer you get to serious infection and death. Pregnant people have a lowered immune system, so once they're down the path of serious infection, it can become really hard to save their life. If you wait until the moment before death, you will not be able to save someone.

Dr. B, a maternal fetal medicine specialist and an assistant professor at a major academic institution in a state with a cessation of fetal cardiac activity requirement, has seen firsthand the impact of waiting to terminate the pregnancy of a patient with PPROM. Dr. B describes examining a patient whose water had broken at 18 weeks—well before viability. Ideally, in this situation Dr. B would advise all patients to seek emergency termination, but because the fetus had detectable cardiac activity, Dr. B could not legally terminate the pregnancy. Dr. B believes providing abortion care to PPROM patients is stabilizing care that all hospitals should provide. Dr. B explains that, at this gestational age, "the fetal benefit is zero, so all the risks are taken on by mom," and the patient is "at a higher risk of infection and bleeding with zero benefit for the fetus."

Nonetheless, due a lack of clarity over the relationship between EMTALA and the state's abortion ban, if Dr. B sent the patient to the emergency room, the hospital would be unable to provide her with stabilizing abortion care. Dr. B could only advise the patient to travel back and forth to the hospital's outpatient clinic each

day, until the patient's condition became sufficiently life-threatening to allow the required care. During each visit, the patient received an ultrasound of her non-viable fetus to confirm there was still detectable fetal cardiac activity. The patient explained to clinic staff that this was a desired second pregnancy, and that repeatedly being forced to sit in a waiting room full of pregnant patients while knowing she would not give birth to a living baby was deeply painful. Finally, two weeks after her water had broken and while she was at home, the patient's umbilical cord prolapsed through her cervix and outside of her vagina, compounding her PPROM with yet another obstetric medical emergency. The patient attempted to reinsert the umbilical cord as she rushed to the hospital, essentially trying to "shove it back in" as she rushed to obtain medical care. Now that the umbilical cord was exposed, she was finally admitted to the hospital. But rather than immediately providing the abortion needed to stabilize the patient, the hospital physicians had to wait until the next day, when the fetal cardiac activity ceased, to induce labor and end the pregnancy.

Dr. B saw the patient two weeks later at a post-partum follow-up visit. The patient was devastated by the delay in her care: she had been in the midst of a medical emergency for weeks, yet she had not received the necessary stabilizing care. She described feeling guilt-ridden carrying a pregnancy that could not survive and helpless because she could not afford to leave the state and her other young child to

terminate the pregnancy. She had found it overwhelming to return to the outpatient clinic and be surrounded by other pregnant patients. She was traumatized from dealing with a prolapsed umbilical cord, which never would have occurred had her pregnancy been timely terminated.

During the two-week period between her water breaking and the prolapse of her umbilical cord, Dr. B says the patient faced a heightened risk of sepsis and placental abruption, which can cause severe, life-threatening blood loss and hemorrhage. Dr. B has seen patients in similar circumstances contract infections while there is still fetal cardiac activity. Dr. B believes it is dangerous to deny an abortion to a pre-viable PPROM patient, yet without clarity that EMTALA preempts a more restrictive abortion ban, state law and Dr. B's institution forbade providing an abortion.

Dr. D, a complex family planning specialist who practices at a major academic institution in a state with strict abortion prohibitions like those in Idaho, explains that Dr. B's story is not uncommon. "From a practical standpoint, in states with [so-called] fetal heartbeat laws, people who break their water in the pre-24-week period [are] not able to get care until they developed an infection or heavy bleeding." Dr. D recounts the story of a pregnant patient who had undergone in vitro fertilization. Her pregnancy was the result of the final embryo transfer. The expectant parents had even picked out a name for the baby, but devastatingly, the patient's water broke at

17 weeks. At that gestational age, there was no chance the fetus could develop lungs that would allow it to live; the only possible treatment was termination. After determining there was still fetal cardiac activity, the hospital called Dr. D for a consult. The treating physicians were distressed, and hoped another hospital could provide the patient with care to terminate the pregnancy. Given the fetal cardiac activity, Dr. D was forced to repeat a line physicians have been "say[ing] a lot": "it shouldn't have to be this way." Again, despite confusion and fear regarding potential violations of EMTALA, the physician deferred to the state's abortion ban, and the hospital concluded there was "nothing any of us could do" to help the patient. Dr. D explains that the fetal cardiac activity had to cease or the patient had to "hang out waiting to get sick"—she needed to start bleeding heavily or to develop a serious infection before she could obtain treatment.

Eventually, the patient drove to another state to receive care. She began bleeding while driving. The patient was able to access the care she needed at the out-of-state hospital, but at a cost: "there was so much more risk and trauma that she had to go through" to receive care than there would have been had her home-state hospital had clarity that EMTALA applied notwithstanding the state's abortion ban. Dr. D notes that being unable to provide care to patients is hard on physicians as well: "I have the skills to provide the care they want and need, but I can't because of the laws of the state. It creates moral injury for providers."

Stories like these are not uncommon. They illustrate the risks patients across the country face in states where laws exclude pregnant patients in need of emergency abortion care from EMTALA's longstanding protections (even for wanted pregnancies threatening their health). Dr. C, whose practice is not limited by a restrictive abortion ban, recalls seeing a patient who traveled from a state requiring cessation of fetal cardiac activity before allowing abortion care. The patient's water broke at 19 weeks, but because there was fetal cardiac activity, her doctors had been unable to offer termination. Like Dr. D's patient, Dr. C's patient remained in the hospital in her home state under observation, waiting to get sicker or for the fetal cardiac activity to stop. After three days without the care she needed, the patient signed herself out of the hospital against medical advice, boarded a plane to Dr. C's city, flew several hours, and went straight to the hospital upon landing. Dr. C explains that had the patient passed the pregnancy during the flight, she could have experienced significant and rapid bleeding without a blood transfusion or pain medication available.

An examination of the patient revealed that fetal cardiac activity had stopped and that the patient had developed a fever. Dr. C provided an abortion, during which Dr. C noticed a foul odor, indicating the patient had contracted an infection. After the procedure, the patient, while devastated by the loss of this wanted pregnancy,

was grateful and relieved to have received the care she had been denied in her home state.

Reflecting on the experience, Dr. C wonders how the patient decided to leave her home state hospital against medical advice and seek treatment elsewhere. Dr. C has tried to step into the shoes of the treating physicians in the patient's home state and determine whether, in that position, Dr. C would have advised the patient to seek abortion care in another state rather than wait for her condition to worsen. Dr. C believes that many providers in states with abortion bans are afraid for their patients, and feel obligated to tell them about options available in other states, even though travel also places the patient at risk. Although Dr. C's patient was able to travel to obtain care, travel is not a feasible solution for most patients, even if they are able and willing to assume the medical risks. Financial hardship, lack of access to paid leave, disability, childcare availability, and a lack of transportation options hinder many patients' ability to travel for care. ¹⁹ Nonetheless, instances of forced out-of-

See Rachel K. Jones et al., At What Cost? Payment for Abortion Care by U.S. Women, 23 Women's Health Issues e173. e174 (2013),https://www.guttmacher.org/sites/default/files/pdfs/pubs/journals/j.whi.2013.03 .001.pdf; Amy N. Addante et al., Differences in Financial and Social Burdens Experienced by Patients Traveling for Abortion Care, 31 Women's Health Issues 426, 426–27, 431 (2021), https://www.whijournal.com/article/S1049-3867(21)00057-8/abstract ("Addante"). Traveling to seek care is also associated with an increased likelihood of seeking subsequent emergency care. Addante, supra at 427, 431; Katrina Kimport & Maryani Palupy Rasidjan, Exploring the emotional costs of abortion travel in the United States due to legal restriction, 120 Contraception, no. 109956, at 1–2, 4 (Apr. 2023),

state travel, or would-be travel, "measure the difference between the life-threatening conditions Idaho will allow hospitals to treat, and the health-threatening conditions it will not, despite EMTALA's command." *Moyle*, 144 S. Ct. at 2017 (Kagan, J., concurring).

III. "We Were Just A Little Bit Too Late"

Severe obstetric hemorrhage, or excessive bleeding in connection with pregnancy, is another leading cause of maternal morbidity in the United States. Uterine or placental complications, such as placental abruption or placenta previa, are the most common causes of severe obstetric hemorrhage.²⁰ Unexpected hemorrhaging "may become life-threatening in as little as 15 min[utes]."²¹ As Dr. B explained, because pregnancy increases blood volume, bleeding caused by placental abruption can be sudden and life-threatening: "[i]t's a lot and it's fast." Dr. Perritt said that when a patient is bleeding, it can be "like a waterfall. It is not something

https://www.sciencedirect.com/science/article/pii/S0010782423000094; Ushma D. Upadhyay, Nicole E. Johns, Karen R. Mechstroth & Jennifer L. Kerns, *Distance Traveled for an Abortion and Source of Care After Abortion*, 130 Obstetrics & Gynecology 616, 616–17 (2017), https://journals.lww.com/greenjournal/abstract/2017/09000/distance_traveled_f or_an_abortion_and_source_of.17.aspx.

Joy L. Hawkins, *Obstetric Hemorrhage*, 38 Anesthesiology Clinics 839, 847–48 (2020), https://pubmed.ncbi.nlm.nih.gov/33127031/.

L.G. Johnson, B.A. Mueller, & J.R. Daling, *The Relationship of Placenta Previa and History of Induced Abortion*, 81 Int'l J. Gynecology & Obstetrics 191, 191 (2003), https://pubmed.ncbi.nlm.nih.gov/12706277/.

you can really describe if you have not experienced it. It isn't like this slow buildup. It's often like a drop off a cliff." According to Dr. B, "stabilization is termination, because you need to stop the bleeding." For physicians practicing in states with restrictive abortion laws like Idaho, without clarity that EMTALA preempts the more restrictive law, it can be challenging to determine at what point bleeding has become sufficiently severe to permit physicians to provide an abortion. As one physician explains, the determination involves a series of split-second assessments:

How much blood loss is a lot of blood? How sick does she have to be to terminate the pregnancy? Does she have to be pale? Does she require blood transfusions? There's no cutoff on how much blood is too much blood to lose before performing an abortion. You have about 5 liters of blood—do you have to lose half? Pass out? Is the mom losing blood faster than they can transfuse? It's so difficult to distinguish life-saving and stabilizing care.

Dr. E, an emergency physician, explained "there is a lot of vaginal bleeding in the emergency department, and most don't end in death, but you don't know when it's going to be."

Dr. B describes seeing a patient in one of these high-risk, rapidly evolving situations. The patient had presented to Dr. B's hospital at 20 weeks with "a very desired pregnancy" and bleeding caused by placenta previa, a dangerous condition in which the placenta obstructs the cervix.²² One of the hallmark complications of

See James P. Neilson, Interventions for suspected placenta praevia (Review), 2 Cochrane Database of Systematic Revs., No. CD001998, at 1–3 (2003),

placenta previa is severe bleeding that may result in hemorrhage.²³ When the patient arrived at the hospital, she was "just hosing blood."

Although there was still fetal cardiac activity, at 20 weeks gestational age, the pregnancy was not viable, and the bleeding was endangering the pregnant patient. Once Dr. B determined that the pregnancy needed to be terminated, Dr. B nevertheless had to "jump through a series of hoops" before the proper care could be provided. At Dr. B's hospital, even in an emergency, two physicians must agree on the decision to terminate, and the hospital's director of labor and delivery and chief of staff must be notified, before abortion care can be provided. This process, like the approval regimes implemented at many hospitals, is to protect the hospital (and its staff) from violating conflicting state laws and federal statutes. If the Court holds that EMTALA preempts the more restrictive state laws and requires care in

https://pubmed.ncbi.nlm.nih.gov/12804418/; Yinka Oyelese & John C. Smulian, *Placenta Previa, Placenta Accreta, and Vasa Previa*, 107 Obstetrics & Gynecology 927, 928 (2006), https://pubmed.ncbi.nlm.nih.gov/16582134/ ("Oyelese & Smulian").

Placenta previa patients are almost ten times more likely to develop bleeding and require blood transfusions, five times more likely to develop sepsis or abnormal clotting, and thirty times more likely to require a hysterectomy than patients whose placenta attaches higher up in the uterus. Oyelese & Smulian, *supra* note 22, at 928, 932-33. Placenta previa is also associated with an approximately three times higher perinatal mortality rate and a five times greater risk of preterm birth. J.M. Crane et al., *Neonatal outcomes with placenta previa*, 93 Obstetrics & Gynecology 541, 541–43 (1999), https://pubmed.ncbi.nlm.nih.gov/10214830/.

these situations, physicians believe their hospitals would streamline the approval process and rely on the treating physicians' discretion during an emergency. Fortunately, in this case, Dr. B was able to obtain the necessary approvals quickly, and the patient received stabilizing care (a dilation and evacuation).

Not all patients with bleeding present this clearly, which highlights the challenges posed by laws requiring physicians, sometimes in busy emergency departments, to assess whether bleeding is "life-threatening" and then obtain multiple levels of approval before proceeding. Dr. E, an emergency physician in a major academic hospital system in a state with restrictive abortion laws, saw an 18week pregnant patient who had been bleeding for an hour with an incomplete miscarriage. Yet, there was still fetal cardiac activity when the patient was examined, and thus the treating physicians believed there was no leeway to move forward with stabilizing abortion care. By the time Dr. E performed a pelvic exam, however, "there was tons of blood" and the patient's blood pressure was dropping rapidly and uncontrollably. That patient was rushed to surgery, but "she didn't make it. We were just a little bit too late. You just don't know." Had EMTALA clearly preempted the state law, allowing the hospital to act earlier, this patient might have received treatment sooner and still be alive.

Reflecting on this case, Dr. E explains that it was a heartbreaking illustration of two challenging issues facing emergency physicians in states with restrictive

abortion laws. First, while there was no active debate about immediate termination when the patient first arrived in the emergency department, Dr. E believes restrictions on providing abortion care cause providers "to question what they are going to do. Instead of just acting to save the women's life, they wait" to let the situation play out before making medical decisions. And as Dr. E's experience illustrates, when providers wait to intervene, care can come too late. Second, in some emergency situations, even trained emergency physicians can find it hard to determine what is life-threatening. Drawing a line between "stabilizing" care and "life-saving" care is not always possible, and making the wrong call can have devastating consequences. "Hesitating in these situations," Dr. E emphasizes, "puts lives at risk." Holding that EMTALA preempts state restrictions in these emergency situations will resolve these critical conflicts and provide physicians with the discretion to act immediately and in accordance with their medical judgment.

Dr. E speaks frequently with reproductive health care providers in connection with her research, which examines differences in care and equity for patients with vaginal bleeding in the context of restrictive abortion laws.²⁴ Dr. E explains that

Abortion restrictions deepen existing inequities and worsen health outcomes for pregnant people. "For example, women who [were] denied [abortion care] are more likely to experience high blood pressure and other seri[ous] medical conditions during the end of pregnancy[;] more likely to remain in relationships where interpersonal violence is present; and more like[ly] to experience poverty." The Impact of the Supreme Court's Dobbs Decision on Abortion Rights and Access Across the United States: Hearing Before the House

restrictions on abortion and the fear of criminalization or loss of license have taken "a huge toll" on providers offering reproductive health care. Dr. E says that it's "just so heartbreaking, the moral injury at stake every day, trying to figure out what you can and can't do. I can't practice medicine the way that I feel is right, and according to my values." As Justice Jackson recognized, "pregnant people experiencing emergency medical conditions remain in a precarious position, as their doctors are kept in the dark about what the law requires." *Moyle*, 144 S. Ct. at 2026-27 (Jackson, J., concurring in part and dissenting in part). But with clarity that EMTALA preempts restrictive abortion bans, like the Idaho Total Abortion Ban, physicians will be able to provide stabilizing treatment in medical emergencies, and be relieved of the burden of navigating conflicting state and federal statutes.

CONCLUSION

PRH respectfully asks that the Court affirm the District Court's preliminary injunction.

Oversight and Reform Comm., 117th Cong. 1–2 (2022), https://www.congress.gov/117/meeting/house/114986/documents/HHRG-117-GO00-20220713-SD005.pdf (statement of Physicians for Reproductive Health) (alterations added); Terri-Ann Thompson et al., Ibis Reprod. Health & Ctr. for Reprod. Rts., Evaluating Priorities: Measuring Women's and Children's Health and Well-being Against Abortion Restrictions in the States 16–17, 23–24 (2017), https://www.ibisreproductivehealth.org/sites/default/files/files/publications/Eva luating%20Priorities%20August%202017.pdf.

Dated: October 22, 2024 Respectfully submitted,

Katherine L. St. Romain Corinne R. Moini* Katherine S. Borchert* FRIED, FRANK, HARRIS, SHRIVER & JACOBSON LLP 801 Seventeenth Street, N.W. Washington, D.C. 20006

Janice Mac Avoy

Counsel of Record

Laura Israel Sinrod*

Anne S. Aufhauser

Antonio Joseph DelGrande*

Rachel L. Demma*

FRIED, FRANK, HARRIS,

SHRIVER & JACOBSON LLP

One New York Plaza

New York, New York 10004

(212) 859-8000

janice.macavoy@friedfrank.com

/s/ Janice Mac Avoy

UNITED STATES COURT OF APPEALS FOR THE NINTH CIRCUIT

Form 8. Certificate of Compliance for Briefs

Instructions for this form:

http://www.ca9.uscourts.gov/forms/form08instructions.pdf

mip://www.eas.useouris.gov/jornis/jornioonisir tiettoris.pag			
9th Cir. Case Number(s) 23-35440, 23-35450			
I am the attorney or self-represented party.			
This brief contains 6,967 words, including 0 words manually			
counted in any visual images, and excluding the items exempted by FRAP 32(f). The			
brief's type size and typeface comply with FRAP 32(a)(5) and (6).			
I certify that this brief (select only one):			
□ complies with the word limit of Cir. R. 32-1.			
is a cross-appeal brief and complies with the word limit of Cir. R. 28.1-1.			
is an amicus brief and complies with the word limit of FRAP 29(a)(5), Cir. R. 29-2(c)(2), or Cir. R. 29-2(c)(3).			
\square is for a death penalty case and complies with the word limit of Cir. R. 32-4.			
complies with the longer length limit permitted by Cir. R. 32-2(b) because (select only one):			
 it is a joint brief submitted by separately represented parties. a party or parties are filing a single brief in response to multiple briefs. a party or parties are filing a single brief in response to a longer joint brief. 			
□ complies with the length limit designated by court order dated □			
☐ is accompanied by a motion to file a longer brief pursuant to Cir. R. 32-2(a).			
Signature /s/ Janice Mac Avoy Date 10/22/2024			
(use "s/[typed name]" to sign electronically-filed documents)			
Feedback or questions about this form? Email us at forms@ca9.uscourts.gov			
Form 8 Rev. 12/01/22			

CERTIFICATE OF SERVICE

I hereby certify that a copy of the foregoing document was filed via the Court's electronic filing system on October 22, 2024, to be served by operation of the electronic filing system on all ECF-registered counsel of record.

/s/ Janice Mac Avoy

Janice Mac Avoy

FRIED, FRANK, HARRIS, SHRIVER & JACOBSON LLP

One New York Plaza New York, New York 10004 (212) 859-8000 janice.macavoy@friedfrank.com

Attorney for Amicus Curiae Physicians for Reproductive Health